



LAUNDRY

DRYING IRONER **PMCA-210**



STANDARD FEATURES

- Frontal linen entry and return
- IM 7 microprocessor with 30 ironing programs
- The ironing temperature and speed are both electronically controlled
- The ironing speed is automatically adjusted according to the ironing temperature variations, ensuring a constant ironing quality
- Cooling function lowers energy costs
- Current operation is displayed on this self diagnostic machine
- Ironing belts in NOMEX, making them high temperature resistant.
- Hand safe bar: The roller stops when the user accidentally moves something behind the roller (i.e. a hand)
- Two emergency push buttons which cut the electrical supply when pressed

AVAILABLE OPTIONS

- Pedal to invert the roller rotation to correct the linen introduction


DRYING IRONER

PMCA-210

Technical Data

Roller length	2068 mm
Roller diameter	330 mm
Ironing speed	1-6 m/min
Electric heating element (Power)	9 x 2.8 Kw (25.2 Kw)
Average hourly production	46 Kg/hr. Residual humidity @ 50%
Gas heating power	26 Kw
Total power	26.2 Kw (Electric) 1 Kw (Gas)
Flue gas consumption	350 m ³ /hr. 1 burner 3/4" connection
Machine dimensions (LxWxH)	598 mm x 2704 mm x 1087 mm
Packing dimensions (LxWxH)	710 mm x 2800 mm x 1270 mm
Gross weight	542 Kg
Net weight	580 Kg

Detail & Dimensions



As continued product improvement is a policy of Powerline, specifications are subject to change without notice.



POWERLINE EQUIPMENT COMPANY

Pulaski Street, Norwalk, CT 06851 USA. Tel: 203-847 2357 Fax: 203-847 6480

www.powerlinelaundry.com